

EDGEWORK, CORNER AND RADIUS GUIDE

PRINT AT 100% SCALE



Edgework - Monolithic Glass TYPE DESCRIPTION GLASS THICKNESS Available in The sharp edges of the glass are Seamed all thicknesses. removed by a belt seamer. This is a machine edge of flat form with arrised edges and a 1/8" - 3/4" Flat Ground satin flat finish. Available for all rectangular and curved shapes. This is a machine edge of flat form with arrised edges and a 1/8" - 3/4" Flat Polished shiny flat polish. Available for all rectangular and curved shapes. This is a flat machined polished Mitered 1/4" - 3/4" edge cut on an angle with small (Front Miter) / (Back Miter) arris at the tip.

PRINT AT 100% SCALE



Edgework - Laminated Glass

TYPE DESCRIPTION GLASS THICKNESS Available in The sharp edges of the glass are Seamed all thicknesses. removed by a belt seamer. +, Available for 1/8" **Pre-Lamination** Edges are polished before -3/4" individual lite Polish lamination. thicknesses.

PRINT AT 100% SCALE

Post-Lamination

Polish

Edges are polished after

lamination.

Available up to

60mm overall

lami thickness.



Corners TYPE DESCRIPTION Dubbed The smallest radius available ACTUAL SIZE ENLARGED at 3/32". Corner 1/16'' A "touch"/"bump" corner which is a Bump / Touch 1/16" tap on the corner of the glass ACTUAL SIZE ENLARGED to dull the edges (so the edges aren't Corner sharp). SPECIFIED BY THE CUSTOMER A crop corner is similar to a touch corner, but the size is specified by ENLARGED **Crop Corner** the customer. Crop corners can be polished or ground.

PRINT AT 100% SCALE



